



C.R.I. PUMPS
Pumping trust. Worldwide.



ONE STOP PUMPING SOLUTIONS...



C.R.I. PUMPS

Pumping trust. Worldwide.

T H E B E G I N N I N G

of C.R.I., way back in 1961, was a resolute attempt to produce a few irrigation equipments using the limited facilities of an in-house foundry. Eventually the founder's dream was coming true as the small production unit he started kept growing rapidly. Now, after more than five eventful decades, it is an enormous, widely reputed organization, which produces more than 1500 varieties of perfectly engineered pumps and motors and sells its products in numerous countries spread across 6 continents.

C . R . I . I S O N E A M O N G

the few pioneers in the world to produce 100% stainless steel submersible pumps. Having achieved a record production capacity of over 2 million pumps per annum, today C.R.I. is rubbing its shoulders with the best brands in the world, with advanced technology and safety standards as its hallmarks.

T H E I N F R A S T R U C T U R E

of C.R.I. is pretty comprehensive with state-of-the-art machineries and high potential in-house R&D recognised by the ministry of science and technology, Govt. of India - all within its own covered area of 300,000 square metres. The production environment is accredited with ISO 9001 & 14001 certifications and the products are CE, UR/UL, IEC, TSE & ISI certified. The R&D team always stays in tune with the changing scenario and seldom fails in coming up with outstanding solutions every time.

N E E D L E S S T O S A Y ,

behind this legendary growth lies the untiring, innovative, enthusiastic and dedicated team work. and, of course, a flawlessly maintained value system too. The name C.R.I. itself encapsulates the company's ethos: " Commitment, Reliability, Innovation".





C.R.I. PUMPS
Pumping trust. Worldwide.

Vision, Mission and Values

To be the industry leader providing best - in - class fluid management solutions to individual and institutional customers and societies in our chosen markets.

We will achieve this through our dedicated efforts to enhance the welfare of all our stakeholders and by living by our values of **commitment, reliability and innovation.**



VERTICAL MULTISTAGE INLINE PUMPS

MV SERIES



Specifications

Max. Flow	:	200 m ³ /h
Max. Head	:	320 m
Max. Liquid Temp	:	120° C
Operating Pressure Range	:	3.3 Mpa (33 bar)

Applications

- | Pressure Boosting | Pumping Clean Liquid in Industries.
- | Reverse Osmosis & DM Plant | Boiler Feed | Fire Fighting
- | Hot & Cold Water Circulation | Industrial Washing
- | Modern Irrigation such as sprinkler, Drip irrigation

VERTICAL MULTISTAGE PUMPS

MTC/MTP SERIES



Specifications

Max. Power	:	3.0 kW
Max. Flow	:	4.0 m ³ / h
Max. Head	:	211 m
Max. Liquid Temp	:	90°C / 60°C

Applications

- | Pressure Boosting Systems | Industrial Washing & Cooling Systems | Modern Irrigations such as Sprinkler; Drip irrigation | Industrial washing & high-pressure cleaning
- | Reverse Osmosis Systems

VERTICAL MULTISTAGE INLINE PUMPS

MVNS SERIES



Specifications

Max. Flow	:	20 m ³ /h
Max. Head	:	46 bar (460 m)
Max. Liquid Temp	:	120° C
Max. Power	:	18.5 kW

Applications

- | Industrial Washing Systems - CIP/SIP; Bottle Washing
- | Paint Booths; Cooling; Desalination
- | Reverse Osmosis Systems & Ultra Filtration Systems
- | Filter Press

HORIZONTAL MULTISTAGE PUMPS

MH SERIES



Specifications

Max. Power	:	2.2 kW
Max. Flow	:	14 m ³ /h
Max. Head	:	50 m
Max. Liquid Temp	:	90° C

Applications

| Boosting Systems | Industrial Washing Systems
 | Modern Irrigations | Reverse Osmosis & Ultra Filtration
 Systems | Boiler Feed | Hot & Cold-Water Circulation

HYDRO PNEUMATIC PRESSURE BOOSTING SYSTEM

MVHS SERIES



Specifications

Max. Flow	:	1200 m ³ /h
Max. Head	:	160 m
Max. Power	:	110 kW
Max. Liquid Temp	:	70° C

Applications

| Pressure Boosting | High pressure water supply
 | Industries & Hospitals | Hotels | Apartments
 | Commercial Buildings | Industrial water supply

PRESSURE BOOSTING SYSTEM

ISOBARIC SERIES



Specifications

Max. Flow	:	72 m ³ /h
Max. Head	:	65 m
Max. Power	:	2.2 kW
Max. Liquid Temp	:	70° C

Applications

| Water Pressure Boosting | Residential Buildings
 | Apartments, Bungalows & Schools | Cottage & Villas,
 Hospitals | Industries & Sprinkler Irrigation System
 | Water Transfer

SUBMERSIBLE SEWAGE PUMPS

GB / MC / KC SERIES



Specifications

Max. Power	:	185 kW
Max. Flow	:	2500 m ³ /h
Max. Head Range	:	70 m
Max. Solid Handling Size	:	165 mm
Max. Outlet Size	:	400 mm
Max. Liquid Temp	:	40° C
Impeller Type	:	Vortex; Cutter; Mono/Multi channel;

Applications

- | STP & ETP Plants | Municipal Waste Water Transfer
- | Commercial & Industrial Sewage Transfer

SUBMERSIBLE SEWAGE PUMPS

GBC SERIES



Specifications

Max. Flow	:	58 m ³ /h
Max. Head	:	18 m
Max. Power	:	5.5 kW
Max. Solid Handling Size	:	44 mm

Applications

- | Sewage water transfer from Hotels, Houses, Buildings, etc.,
- | Sewage Treatment Plants | Septic Tanks

SUBMERSIBLE SEWAGE PUMPS WITH CUTTER

GTC SERIES



Specifications

Max. Flow	:	30 m ³ /h
Max. Head	:	45 m
Max. Power	:	5.5 kW
Max. Solid Handling Size	:	8 mm

Applications

- | Hotels | Tanneries | Meat Washing | Septic Tanks

SUBMERSIBLE MIXER

MD / TP SERIES



Specifications


Max. Power	: 18.5 kW
Max. Flow	: 6702 m ³ /h
Max. Influence Distance	: 70 m

Applications

Sewage Treatment Plants : Sludge Thickening Tanks
 | Homogenisation Process in Chemical | Biological of Activated
 & Digested Sludge Plants | Mixing of Sewage Wet Wells
 | Waste Processing – Slaughter Houses | Aqua Culture
 | Paper & Pulp | Paint Industries | Slurry & Bio-gas Plants
 | Distilleries / Breweries

SUBMERSIBLE AERATOR - DIFFUSER TYPE

AR SERIES



Specifications

Max. Power	: 5.0 kW
Max. Air volume	: 125 m ³ /h
Max. Total Oxygen Input	: 9.0 (kg.O ₂ /h)

Applications

| Sewage & Industrial Waste Treatment Plants | Aquaculture
 | Industrial Aeration Stabilization & Equalization Tank
 | Aeration; Mixing and Agitation for the Mixed Liquor Suspended
 Solids (MLSS) | Biochemical Oxygen Demand (BOD)
 Reduction Process | Sequencing Batch Reactors
 (SBR) Process

SUBMERSIBLE AERATOR - JET TYPE

AR SERIES



Specifications

Max. Power	: 5.5 kW
Max. Air volume	: 120 m ³ /h
Max. Total Oxygen Input	: 5.9 (kg.O ₂ /h)

Applications

| Sewage & Industrial Waste Treatment Plants | Aquaculture
 | Industrial Aeration Stabilization & Equalization Tank
 | Aeration; Mixing and Agitation for the Mixed Liquor Suspended
 Solids (MLSS) | Biochemical Oxygen Demand (BOD)
 Reduction Process | Sequencing Batch Reactors
 (SBR) Process

SS JET SELFPRIMING PUMPS

JTS SERIES



Specifications

Max. Flow	:	3.0 m ³ /h
Max. Head	:	4.5 bar
Speed in rpm	:	2900
Sealing	:	Mechanical Seal

Applications

- | Houses | Small Farms | Gardens
- | Domestic Pressure Boosting | Car washing
- | Industries & Drinking Water Supply

SURFACE WASTE WATER PUMPS

SMB / SP SERIES



Specifications

Max. Power	:	18.5 kW
Max. Flow	:	277 m ³ /h
Max. Head	:	34 m
Speed in rpm	:	2880 / 1450
Max. Solid Handling Size	:	15 mm

Applications

- | Pumping of Domestic Sewage (Polluted water, Effluent, Storm water)
- | Industrial Waste Water (Effluent, Sewage, ash-water, etc.)
- | Water from Marine (Docks, Ports & Vessels)
- | Dewatering from Construction (Foundation, Trenches)
- | Sewage transfer in STP

CENTRIFUGAL MONOBLOCK PUMPS

BP SERIES



Specifications

Max. Power	:	15 kW
Max. Flow	:	121 m ³ /h
Max. Head	:	70 m
Max. Liquid Temp	:	90° C

Applications

- | Fire Fighting – Jockey & Booster | Industrial Water Supply
- | High-Rise Building & Hotels | Pressure Boosting & Cooling Systems | Irrigation, Etc.,

IMMERSIBLE COOLANT PUMPS

VDC SERIES



Specifications

Max. Flow	: 20 m ³ /h
Max. Head	: 240 m
Max. Power	: 18.5 kW
Max. Liquid Temp	: 90° C

Applications

| EDM Wire Cutting & Printing Machines | Boring, Milling, Grinding & Turning Centres | Industrial washing & Cleaning
| Cooling System & Cutting Oils | Spark Machine Tools
| Filtering Systems

IMMERSIBLE COOLANT PUMPS

VDS SERIES



Specifications

Max. Flow	: 4.0 m ³ /h
Max. Head	: 55 m
Max. Power	: 1.1 kW
Max. Liquid Temp	: 90° C

Applications

| EDM Wire Cutting & Printing Machines | Boring, Milling, Grinding & Turning centres | Industrial washing & Cleaning
| Cooling System & Cutting Oils | Spark Machine Tools
| Filtering Systems

IMMERSIBLE COOLANT PUMPS

VDK SERIES



Specifications

Max. Power	: 1.1 kW
Max. Flow	: 9.6 m ³ /h
Max. Head	: 9 m
Max. Liquid Temp	: 90° C

Applications

| EDM Wire Cutting & Printing Machines | Boring, Milling, Grinding & Turning centres | Spark Machine Tools

END SUCTION CENTRIFUGAL WATER PUMPS

ECW SERIES



Specifications

Max. Flow	: 550 m ³ /h
Max. Head	: 120 m
Max. Power	: 160 kW
Speed in rpm	: 1450 / 2900
Max. Liquid Temp	: 90° C
Pump Size	: DN 32 - DN 150

Applications

- | Water Supply | HVAC | Modern Irrigations
- | Pressure Boosting | Industrial Utility
- | Fire Fighting | Cooling Towers

CLOSE COUPLED PUMPS

CCW SERIES



Specifications

Max. Flow	: 550 m ³ /h
Max. Head	: 120 m
Speed in rpm	: 1450 / 2900
Max. Liquid Temp	: 90° C
Pump Size	: DN 32 - DN 150

Applications

- | Water Supply | HVAC | Modern Irrigations
- | Pressure Boosting | Industrial Utility
- | Fire Fighting | Cooling Towers

VERTICAL VOLUTE CASING PUMPS

VS / VC SERIES



Specifications

Max. Power	: 90 kW
Max. Flow	: 450 m ³ /h
Max. Head	: 140 m
Max. Liquid Temp	: 85° C

Applications

- | HVAC | Fire Fighting | Pressure Boosting Systems
- | Water Supply | Cooling Towers | Cold & Hot Water Circulation
- | Industrial Utility Water | Modern Irrigation

HORIZONTAL SPLIT CASE PUMPS

SCW SERIES



Specifications

Max. Flow	:	8000 m ³ /h
Max. Head	:	350 m

Applications

| Water Supply | Cooling Towers | Thermal Power Plant
 | HVAC | Fire Fighting | Pressure Boosting Systems
 | Steel Plants | Paper | Sugar Industries | Industrial Utility
 | Dewatering in Mines | Flood Control
 | Water & Effluent Treatment | Desalination | Irrigation

VERTICAL TURBINE PUMPS

VT SERIES



Specifications

Max. Flow	:	20000 m ³ /h
Max. Head	:	250 m
Max. Suspension Length	:	45 m
Lubrication	:	Oil / Water / FWL

Applications

| Water Supply | Lift Irrigation | Cooling Tower | Thermal Power Plant
 | Oil Refineries | Desalination | Deep Well Pumping
 | Condensate Extraction | Firefighting | Flood Control
 | Dry Docks

END SUCTION CENTRIFUGAL CHEMICAL PUMPS

ECC SERIES



Specifications

Max. Flow	: 720 m ³ /h
Max. Head	: 110 m
Max. Power	: 150 kW
Max. Pressure	: 10/16 bar
Speed in rpm	: 1450 / 2900

Applications

- | Handling Organic & Inorganic liquids | Chemical & Process Transfer | General Refinery Services | Erosive
- | Corrosive liquids | Demineralised water | Condensates
- | Distillation Plant liquids / liquors

INDUSTRIAL PROCESS PUMPS

IL SERIES



Specifications

Max. Flow	: 23 m ³ /h
Max. Head	: 64 m
Max. Power	: 7.5 kW
Max. Outlet Size	: 32 mm
Speed in rpm	: 1450 / 2900

Applications

- | Chemical & Textile Industries | Dying and Paint Industries
- | Edible Oil Refinery | Distilleries Plant | Pharmaceuticals
- | Effluent Treatment | Chemical Dosing
- | Food Processing, Beverage and Dairy Industries
- | Evaporation Process

END SUCTION CENTRIFUGAL PROCESS PUMPS

ECP SERIES



Specifications

Max. Flow	: 2500 m ³ /h
Max. Head	: 100 m
Max. Power	: 315 kW
Speed in rpm	: 1450 / 960
Max. Consistency	: 8%

Applications

- | Handles Paper & Pulp stock | Food & beverage industry
- | De-watering & De-inking liquors | Corrosive & Non-corrosive liquors | Chemical/Process Effluents | Sugar Industries
- | Power generation & Steel | Brewing & bottling plant liquors

OPENWELL SUBMERSIBLE PUMPS

CSM / CV SERIES



Specifications

Max. Power	:	50 HP
Max. Flow	:	193 m ³ /h
Max. Head	:	153 m

Applications

| Agriculture | Domestic | Irrigation | Gardens | Industrial
| Rural Water Supply

6" BOREWELL SUBMERSIBLE PUMPS

6" BOREWELL




Specifications

Max. Power	:	85 HP
Max. Flow	:	72 m ³ /h
Max. Head	:	500 m
Max. Outer Dia	:	146 mm

Applications




| Agriculture | Irrigation | Domestic | Gardens
| Civil & Industrial water supply | Rural Water Supply | Ponds
| Fire fighting | Pressure boosting

FIRE FIGHTING SYSTEM



HORIZONTAL SPLIT CASE PUMPSET

END SUCTION CENTRIFUGAL PUMPSET



HVAC SOLUTIONS



W I N N I N G W A Y S

When you have a good thing going it is quite in the fitting of things that recognitions come our way. Several prestigious awards, which decorate our shelf, say it all. These rewards not only acknowledge our position as a leader in the water pump industry but also serve as reminders about what the customer expects from a winner. And we, as ever, have our ears perfectly tuned to customer expectations.



C.R.I. PUMPS PRIVATE LIMITED

Regd. Office: 7/46-1, Keeranatham Road, Saravanampatty, Coimbatore - 641 035. Tamilnadu, INDIA.
Phone : +91-422-7117000 Fax : +91-422-7117005, E-mail : bcsmkt@cripumps.com • www.crigroups.com
Toll Free 1800 121 1243